

## Linear Algebra – Part 60

Definition: A complex matrix  $A \in \mathbb{C}^{n \times n}$  is called:

(1) selfadjoint if  $A^* = A$

(2) skew-adjoint  $A^* = -A$

(3) unitary if  $A^*A = AA^* = \mathbb{1}$  (=identity matrix)

(4) normal if  $A^*A = AA^*$

Example:

(a)  $A = \begin{pmatrix} 1 & 2i \\ -2i & 0 \end{pmatrix} \Rightarrow A^* = \begin{pmatrix} \overline{1} & \overline{-2i} \\ \overline{-2i} & \overline{0} \end{pmatrix} = \begin{pmatrix} 1 & 2i \\ -2i & 0 \end{pmatrix} = A$

(b)  $A = \begin{pmatrix} i & -1+2i \\ 1+2i & 3i \end{pmatrix} \Rightarrow A^* = \begin{pmatrix} \overline{i} & \overline{-1+2i} \\ \overline{1+2i} & \overline{3i} \end{pmatrix} = \begin{pmatrix} -i & 1-2i \\ -1-2i & -3i \end{pmatrix} = -A$


(c)  $A = \begin{pmatrix} i & 0 \\ 0 & 4 \end{pmatrix}$  not selfadjoint nor skew-adjoint but normal.

Remember:

$A \in \mathbb{C}^{n \times n}$	$A \in \mathbb{R}^{n \times n}$
adjoint $A^*$	transpose $A^T$
selfadjoint	symmetric
skew-adjoint	skew-symmetric
unitary	orthogonal

Proposition:

(a)  $A$  selfadjoint  $\Rightarrow \text{spec}(A) \subseteq \text{real axis}$



(b)  $A$  skew-adjoint  $\Rightarrow \text{spec}(A) \subseteq \text{imaginary axis}$

(c)  $A$  unitary  $\Rightarrow \text{spec}(A) \subseteq \text{unit circle}$

Proof: (a)  $\lambda \in \text{spec}(A) \Rightarrow$  eigenvalue equation  $Ax = \lambda x$ ,  $x \neq 0$ ,  $\|x\| = 1$  choose:

$$\begin{aligned} \lambda \cdot \underbrace{\langle x, x \rangle}_1 &= \langle x, \lambda x \rangle = \langle x, Ax \rangle = \langle A^* x, x \rangle \\ &\stackrel{\text{selfadjoint}}{=} \langle Ax, x \rangle = \langle \lambda x, x \rangle = \bar{\lambda} \underbrace{\langle x, x \rangle}_{=1} \end{aligned}$$

(c)  $\lambda \in \text{spec}(A) \Rightarrow$  eigenvalue equation  $Ax = \lambda x$ ,  $x \neq 0$ ,  $\|x\| = 1$  choose:

$$\langle \lambda x, \lambda x \rangle = \langle Ax, Ax \rangle = \langle \underbrace{A^* A}_1 x, x \rangle = \langle x, x \rangle = 1$$

$$\bar{\lambda} \cdot \lambda \langle x, x \rangle = |\lambda|^2 \Rightarrow \lambda \text{ lies on the unit circle} \quad \square$$